



Engineering excellence in process heating solution

EDIMAX SERIES



Edible Oil Heater

FUEL : DIESEL, GAS & FO

Product's Highlights



Best air fuel ratio for high fuel efficiency

- ◆ Imported Burners from Weishaupt, Germany
Bentone, Sweden
Unigas, Italy
- ◆ Dual block burner for highest heat recovery

Lowest pressure drop & high flow Technology

- ◆ Maintains low film temperature and low PV of Edible oil
- ◆ Enlarge Edible oil life
- ◆ Enhance shelf life of food products




Wetback Design

- ◆ Recovers heat losses
- ◆ Improve fuel efficiency

World's Pathfinder in high capacity design


- ◆ Highest installed capacity 2 Million kcal/hr.




Easy Drain Technology

- ◆ In high capacity horizontal unit easy to drain while cleaning process

Cross section view




Vertical view



Horizontal view



BOTTLER[®]
ENERGY PVT. LTD.



STRONG TECHNICAL SUPPORT

Product Features

- Lowest pressure drop technology
- Highest fuel efficiency
- Heat recovery by Air pre heater
- Multi fuel option - Heavy oils, Light oils, and Gases
- 4 Pass design Technology
- Skid option for mobility
- Followed by ASME Mechanical design standards

Operating Range

- Capacity : 0.05 - 4 Million kcal/hr
- Temp. Range : up to 220 °C
- Horizontal & Vertical orientation option

Manufacturing Excellence



Only Tig Welding in coil by certified Welder



CNC Coil winding machine to ensure lowest ovality of tubes

Our Clientele



For a healthy growing India



& many more...

International Clientele



& many more...






Production facility
107630 square feet area.



High experienced
Technical Team



BOZZLER[®]
ENERGY PVT. LTD.

Contact Us:



+91 98240 77739
+91 98240 77794



info@bozzler.com



www.bozzler.com



Survey No. 991,
Opp. Chamunda Farm,
Kalol-Pansar Road, Village - Isand,
Taluka - Kalol,
Dist. Gandhinagar-382721.